




-
-
-
-
-



G+H Group

- [Areas](#)
 - [Insulation](#)
 - [Thermal insulation](#)
 - [Mattress insulation FlexCAP](#)
 - [Spray insulation HardCAP](#)
 - [IN-SITU PUR FOAM SITUPUR®](#)
 - [Trace heating systems](#)
 - [Cold insulation](#)
 - [SITUPUR®](#)
 - [Cryogenic insulation \(LNG\)](#)
 - [Fire protection](#)
 - [Electrical fire protection](#)
 - [PYROMENT®-IK90 installation duct](#)
 - [Full cable wrap PYROMENT®-KVB2000](#)
 - [Pipe penetrations](#)
 - [Fire protection bandage PYROSTAT®-UNI](#)
 - [Fire protection coating](#)
 - [Fire protection joints](#)
 - [PYRODOM®-BWF joint system](#)
 - [Special solutions](#)
 - [Noise Control / Vibration isolation](#)
 - [Industrial sound insulation](#)
 - [Measurement and test rooms](#)
 - [Wall and ceiling linings](#)
 - [Silencers](#)
 - [Sound-insulating doors and windows](#)
 - [Booths and enclosures](#)
 - [Screening walls](#)
 - [Power plant sound protection](#)
 - [Air intake systems](#)
 - [Exhaust systems](#)
 - [Silencers](#)
 - [Acoustic enclosures](#)
 - [Retrofit](#)
 - [Noise protection hangars](#)
 - [Vibration isolation](#)
 - [Steel spring elements](#)
 - [Steel screw pressure springs](#)
 - [Pipe and ceiling hangers](#)
 - [Spring isolators](#)
 - [Vibrex-Longitudinal bedding](#)
 - [AVIB elastomeric springs](#)
 - [Acoustic insulation panels](#)
 - [Elastofund and Vibrofund rubber panels](#)
 - [MAFUND rubber panels](#)
 - [Vibrafoam and Vibradyn](#)
 - [Rubber-metal elements](#)
 - [Elastic bearing elements](#)
 - [Elasto circular elements](#)
 - [Elasto Rubber-Metal Blocks](#)
 - [Air springs](#)
 - [Calculation program](#)
- [Services](#)
 - [Engineering](#)
 - [Measurement](#)
 - [Installation](#)
 - [Maintenance](#)
 - [Indu-Cool](#)
 - [Services](#)
 - [Project management / Consulting](#)
 - [Global project solutions](#)
 - [Research and development](#)
- [References](#)
- [Info library](#)
 - [News](#)
 - [Downloads](#)
- [Career](#)
 - [Vocational training](#)
 - [Industrial jobs](#)
 - [Young professionals](#)
 - [Experienced professionals](#)
 - [Speculative applications](#)
- [Company](#)
 - [Diversity](#)
 - [Management](#)
 - [Trade associations](#)
 - [Compliance](#)
 - [Group](#)

- [Locations](#)
- [QHSE](#)
- [Purchase](#)





-
-
-
-
-


- [de](#)
- [en](#)
- [nl](#)

- ◦
- ◦
- ◦
- ◦


- [a-](#)
- [A+](#)
-
-

Elasto circular elements

Elasto circular elements compensate for compression and shear loads




For compression and shear loading, G+H Noise Control provides vibration isolation bearings in the form of cylindrical rubber elements with molded-on, corrosion-protected metal parts. The so-called Elasto Circular Elements exhibit relatively high material damping, which reduces the vibration amplitudes of the elastically supported system when resonance occurs and shortens the oscillation decay process after shock loading. The natural rubber used has better elastic properties than synthetic rubber spring materials.



Various models for a wide range of applications

In order to provide for all types of application, our range of Elasto Circular Elements includes models with different connection systems (interior thread/threaded pin, threaded pins on both sides, interior thread on both sides) for our customers to choose from. And the Elasto Circular Elements that can be used at temperatures between -20°C and +70°C are also available with a choice of two different Shore hardness values in accordance with DIN 53505. Although the isolating elements must be protected from permanent exposure to oil, grease and fuels, their function and service life are not affected by occasional and slight smearing with oil. We also offer a protective coating to protect against the weather, if used outside, and against oil, UV radiation and ozone.

Contact




Dr. Andreas Zell
G+H Schallschutz GmbH
Janderstr. 3
68199 Mannheim

Tel.: +49 621 502-360

E-Mail: andreas.zell@guh-gruppe.de

Product information



[The various models and all of the technical data, dimensions and weights of the Elasto Circular Elements can be found here at a glance.](#)



[Back to Top](#)

Follow us !

-
-
-
-
-

-
-
-
-
-

Group websites



Sites country

-
-
-
-

-
-
-
-

-
-
-
-

-
-
-
-

-
-
-
-





Cookies Preferences

In order to optimize the performance, functionality and interactivity of our website, we use technical cookies, audience measurement cookies and social network cookies, some of which require your prior consent. You can find more information on this subject in our [Privacy Policy](#)
[Customize](#) [Reject All](#) [Accept All](#)



Close

Privacy Overview

This website uses cookies to improve your experience while you navigate through the website. Out of these cookies, the cookies that are categorized as necessary are stored on your browser as they are essential for the working of basic functionalities of the website. We also use third-party cookies that help us analyze and understand how you use this website. These cookies will be stored in your browser only with your consent. You also have the option to opt-out of these cookies. But opting out of some of these cookies may have an effect on your browsing experience.

[Save & Accept](#)